


Ra	JIS
0.2	▽▽▽
1.6	▽▽
6.3	▽
25	▽
±0.1	±0.2
±0.2	±0.3
±0.3	±0.5
0.5~5	321~1000
6~30	31~120
121~320	121~320
321~1000	321~1000

JFW INDUSTRIES, INC.
 6731 N.E. 47TH PORTLAND, OREGON 97218 U.S.A.
 E-mail: jfwvalve@comcast.net
 Tel: 1 503 288 0673
 Fax: 1 503 288 1075

NPS	d	L	H	D	C	G	T	f	N	M	Weight(lb)
1"	0.98	5.91	4.49	4.25	3.13	2.01	0.44	0.06	4	0.63	6.2
1-1/2"	1.57	7.48	5.31	5	3.88	2.87	0.56	0.06	4	0.63	10.4
2"	1.97	8.27	6.1	5.98	4.74	3.62	0.63	0.06	4	0.75	16
2-1/2"	2.56	9.84	7.44	7.01	5.49	4.13	0.69	0.06	4	0.75	23.9
3"	3.15	11.02	7.87	7.48	6	5	0.75	0.06	4	0.75	32.7
4"	3.94	13.39	9.13	9.02	7.5	6.18	0.94	0.06	8	0.75	51.2
6"	5.91	16.54	12.83	10.98	9.51	8.5	1	0.06	8	0.87	98.9
8"	7.87	19.69	15.63	13.5	11.75	10.63	1.13	0.06	8	0.87	156.5

unit:in



ITEM	PARTS	MATERIAL
1	BODY	ASTM A351-CF8M
2	BONNET	
3	SCREEN	SUS 316
4	GASKET	PTFE
5	GASKET	
6	STOPPER	ASTM A351-CF8M
7	SPRING WASHER	SUS 304
8	BONNET BOLT	

SIZE	Cv (USgal/min)
1"	20
1-1/2"	65
2"	80
2-1/2"	100
3"	200
4"	500
6"	800
8"	1500

FEATURES :
 - Design : ASME B16.34
 - End flange : ASME B16.5
 - Test : API 598
 - Screen : 1" : 14 Mesh
 1-1/2"~8" : 10 Mesh

△			
△	Add Cv Value	03/25/2020	Yuan
△	Remove DN dimension & add 1", 2", 6", 8"	03/25/2020	Yuan
Revise	Description	Date	Approve

DRAWING NO. **YS-150**

JFW INDUSTRIES, INC.	CHECK BY	DRAWING BY	DATE	SPECIFICATION	Flange End Y-Strainer Class 150
		Ray	Mar.26.2020	MATERIAL	CF8M
				PROCESS/Nr.	
				UNIT / SCALE	mm

