


Ra	0.2	1.6	6.3	25	±0.1 ±0.2 ±0.3 ±0.5 ±0.8
JIS	▽▽▽	▽▽	▽	▽	0.5~5 6~30 31~120 121~320 321~1000

JFW INDUSTRIES, INC.
6731 N.E. 47TH PORTLAND, OREGON 97218 U.S.A.
E-mail: jfwvalve@comcast.net
Tel: 1 503 288 0673
Fax: 1 503 288 1075



DN	d	d1	L	L1	H	W	Torque (N-M)	Weight (kg)
8	7.5	14.2	79	10	157	100	40	2
10	10	17.6	79	10	157	100	40	2
15	13	21.8	79	10	157	100	40	2
20	13	27.2	92	13	157	100	45	2.2
25	18	33.9	111	13	185	120	55	3.5
32	24	42.7	120	13	226	160	70	5.3
40	29	48.8	120	13	241	160	90	6.1
50	36.5	61.2	140	16.5	273	220	110	9

unit:mm

NPS	d	d1	L	L1	H	W	Torque (in-lb)	Weight (lb)
1/4"	0.3	0.56	3.11	0.39	6.18	3.94	354	4.4
3/8"	0.39	0.69	3.11	0.39	6.18	3.94	354	4.4
1/2"	0.51	0.86	3.11	0.39	6.18	3.94	354	4.4
3/4"	0.51	1.07	3.62	0.51	6.18	3.94	398.3	4.9
1"	0.71	1.33	4.37	0.51	7.28	4.72	486.8	7.7
1-1/4"	0.94	1.68	4.72	0.51	8.9	6.3	619.5	11.7
1-1/2"	1.14	1.92	4.72	0.51	9.49	6.3	796.6	13.4
2"	1.44	2.41	5.51	0.65	10.75	8.66	973.6	19.8

unit:in

SIZE	Cv (USgal/min)
1/4"	5.4
3/8"	5.9
1/2"	6.5
3/4"	11.1
1"	25
1-1/4"	45
1-1/2"	67
2"	113.5

ITEM	PARTS	MATERIAL
1	BODY	ASTM A182-F316
2	WEDGE	ASTM A276-316
3	SEAT RING	ASTM A276-316+ STELLITE
4	STEM	ASTM A276-316
5	GASKET	316+ GRAPHITE
6	BOLT	ASTM A193-B8M
7	BONNET	ASTM A182-F316
8	PACKING	GRAPHITE
9	EYE BOLT	ASTM A193-B8M
10	PIN	ASTM A276-316
11	GLAND	
12	GLAND FLANGE	ASTM A182-F316
13	NUT	ASTM A194-8M
14	STEM NUT	ASTM A276-410
15	WASHER	
16	NAMEPLATE	ALUMINUM
17	HANDWHEEL NUT	ASTM A108-1020
18	HANDWHEEL	ASTM A197

FEATURE :
 - Basic design : API 602 & ASME B16.34
 - Test standard : API 598
 - Socket weld dimension : ASME B16.11

△	Revise drawing & weight	5/04/2018	Yuan
△	Add Cv	3/08/2016	Ray
△	Revised material & torque	2/23/2016	Ray
△	Add weight	2/23/2016	Ray
Revise	Description	Date	Approve

JFW INDUSTRIES, INC.

CHECK BY	DRAWING BY	DATE	SPECIFICATION	Forged Type Socket Weld End Gate Valve Class 800
	Sean	May.04.2018	MATERIAL	F316
			PROCESS/Nr.	
			UNIT / SCALE	mm

DRAWING NO. **GT-800-SW-18**